ENDNOTES

- 1. Warning: the forces of a deploying airbag can cause serious or fatal injuries to a child under age 13. The safest seating position for your child is in a rear seat, belted into an appropriate, properly installed child seat, or correctly wearing a seat belt if too large for a child seat. See Operator's Manual for additional warnings and information on airbags, seat belts, and child seats.
- 2. Crosswind Assist can engage automatically when sensing dangerous wind gusts at highway speeds exceeding 80 kph. Performance is limited by wind severity and available traction, which snow, ice, and other conditions can affect. Always drive carefully, consistent with conditions.
- 3. No system, regardless of how advanced, can overcome the laws of physics or correct careless driving. Please always wear your seat belt. Performance is limited by available traction, which snow, ice, and other conditions can affect. Always drive carefully, consistent with conditions. Best performance in snow is obtained with winter
- 4. Driving while drowsy or distracted is dangerous and must be avoided. ATTENTION ASSIST® may be insufficient to alert a fatigued or distracted driver and cannot be relied on to avoid an accident or serious injury.
- 5. Blind Spot Assist may not be sufficient to avoid all accidents involving vehicles in your blind spot and does not estimate the speed of approaching vehicles. It should not be used as a sole substitute for driver awareness and checking of surrounding traffic conditions.
- 6. Lane Keeping Assist may be insufficient to alert a fatigued or distracted driver of lane drift and cannot be relied on to avoid an accident or serious injury.
- 7. COLLISION PREVENTION ASSIST may not be sufficient to avoid an accident. It does not react to certain stationary objects, nor recognize or predict the curvature and/or lane layout of the road or every movement of vehicles ahead. It is the driver's responsibility at all times to be attentive to traffic and road conditions, and to provide the steering, braking, and other driving inputs necessary to retain control of the vehicle. Drivers are cautioned not to wait for the system's alerts before braking, as that may not afford sufficient time and distance to brake safely.
- 8. Rearview camera does not audibly notify driver of nearby objects and is not a substitute for actively checking around the vehicle for any obstacles or people. Images displayed may be limited by camera field of view, weather, lighting conditions, and the presence of dirt, ice, or snow on the camera.
- 9. Vincentric claims are based on results of the Mercedes-Benz Metris in 2016-2019 Vincentric Best Fleet Value in Canada awards analysis, Mid-Size Commercial Cargo Van segment. Also based on results of the Mercedes-Benz Metris in 2016-2019 Vincentric Best Fleet Value in Canada awards analysis, Mid-Size Commercial Passenger Van segment.

- 10. Driver is responsible for monitoring fluid levels and tire pressure between service visits. See Maintenance
- 11. Maximum permissible gross weight of the trailer, if the trailer is equipped with a separate functional braking system. Please make sure to comply with local trailer load regulations.
- 12. Based on 60 sheets of ½-inch thick 4' x 8' sheets of lightweight drywall.
- 13. Actual rates, terms, down payment, and program eligibility will be determined by the Mercedes-Benz Financial Services Credit Team based upon the creditworthiness of the customer.
- 14. The Mercedes-Benz Vans Roadside Assistance Program is available for vehicles covered under warranty and includes such services as towing, jump-start in the event of a dead battery, and assistance with the installation of a spare tire. Service charges apply for out-of-warranty vehicles.
- 15. Unsecured cargo can become hazardous in a collision. Always secure cargo.
- ©2019 Mercedes-Benz Canada Inc., 98 Vanderhoof Avenue, Toronto, Ontario M4G 4C9, 1-800-387-0100.

All illustrations and specifications contained in this brochure are based on the latest product information available at the time of publication. Volume measurements are according to SAE J1100. Mercedes-Benz reserves the right to make changes at any time, without notice, to colours, materials, equipment, specifications, and models. Any variations in colours shown are due to reproduction variations of the printing process. Illustrations may include test situations. European images may be shown. Some vehicles are shown with optional equipment available at extra cost. Some optional equipment may not be available individually and/or on all models. For current information regarding the range of models, standard features, optional equipment, and/or colours available in Canada and their pricing, please contact your nearest authorized Mercedes-Benz Vans dealer. All rights reserved.

www.mbvans.ca


MBV-19-MET20-0819-BRO-EN

Printed in Canada










MERCEDES-BENZ METRIS

Proud Sponsor of the Workday



Mercedes-Benz

Vans. Born to run.



ABOUT US MODELS PRODUCT DETAILS 4 OUR HISTORY 12 INTRODUCTION 20 MASTERUPFITTER 6 SAFETY 16 CARGO 22 FINANCE SOLUTIONS 8 PERFORMANCE 18 PASSENGER 23 SERVICE & MAINTENANCE 10 COST EFFICIENCY 24 SPECIFICATIONS

Over a Century of Van Innovation



1896 Benz company invents the motorized van, dubbed a



Mercedes-Benz L 1000 Express van.



1956 Mercedes-Benz introduces the L 319 and reinvents the



Mercedes-Benz introduces the new large-capacity van,



1977 Mercedes-Benz launches a new light van lineup, internally called the TN or T 1.



1986 Mercedes-Benz presents a new van range, internally called the T 2.



1995 The first-generation Sprinter Van launches in Europe and wins "International Van of the Year."



2006 The second-generation Sprinter enters the European market.




2010 The Mercedes-Benz Sprinter enters the Canadian market. 2015 The midsize Mercedes-Benz

Mercedes-Benz Vans Come to Canada



120 YEARS OF WORKDAYS.

workloads and never back down from a challenge. Simply put, we are proud sponsors of the workday. Our vans deliver an extraordinary level of performance, safety, and cost-efficiency - so that you're equipped to put in overtime, every time.



We thought about safety, so you can think about work.

Each workday presents a new set of challenges. Our groundbreaking safety innovations deliver an extra level of protection for your cargo and passengers and let you focus on the task at hand. Standard on all Metris Vans, Crosswind Assist² can help you stabilize your van in gusting crosswinds, while standard front, thorax, and window airbags¹ help keep you protected. Plus, we're the only van in the segment featuring standard Load-Adaptive Electronic Stability Program (ESP®)³ and ATTENTION ASSIST. Factor in optional features such as Blind Spot Assist, Lane Keeping Assist and COLLISION PREVENTION ASSIST, and it will be easy to keep your mind on the job knowing that your van is helping you stay safe.

FEATURE HIGHLIGHTS



CROSSWIND ASSIST²

Crosswind Assist² helps you stabilize your van and boosts safety in strong, gusting crosswinds. This standard feature helps you ensure that your vehicle remains in its lane at highway speeds.



LOAD-ADAPTIVE ELECTRONIC STABILITY PROGRAM (ESP®)³

This dynamic handling system actively intervenes to help keep the van firmly under control and safe by automatically braking individual wheels and reducing engine power to help stabilize the vehicle if wheelspin, understeer, or oversteer is detected.



REARVIEW CAMERA®

The visual parking aid is activated when the Reverse gear is selected, giving you a view of what's going on behind you as well as providing overlays with which to guide you.



ATTENTION ASSIST®4

ATTENTION ASSIST®4 helps prevent drowsy driving by monitoring your driving patterns and providing an early warning in case fatigue is detected.



LANE KEEPING ASSIST⁶

Lane Keeping Assist⁶ can provide you with visual and audible warnings if your van leaves its lane unintentionally. A camera in the windshield monitors the road ahead and helps detect when you may have veered away from lane markings.



COLLISION PREVENTION ASSIST⁷

COLLISION PREVENTION ASSIST⁷ is a radar-based proximity warning system that can issue visual and audible warnings when vehicles traveling ahead come within a potentially dangerous distance of your van. In emergency situations, boosted braking pressure levels automatically assist to help prevent rear-end collisions.



BLIND SPOT ASSIST⁵

Using radar sensors to monitor approaching vehicles on multilane highways, this system can detect vehicles in your blind spot and alert you visually and audibly.



NEW INSTRUMENT DESIGN

Add style to your workday with a beautifully redesigned instrument panel, standard on all models. Features a hi-res pixel matrix display for clear and easy reading, and buttons on the steering wheel to simplify operation and reduce distraction.

European model shown.



Sophisticated technology. Old-school grunt.

All the cargo volume in the world doesn't mean a thing if your van can only crawl under the weight of a heavy load. The Metris drivetrain is specifically designed to accelerate under these conditions. Don't just get the job done, get it done the *right* way.

The Metris is equipped with a 2.0L 4-cylinder turbocharged gasoline engine that is designed to produce substantial torque at low rpms. The combination of high torque and horsepower provides impressive performance throughout the operating range.

MERCEDES-BENZ METRIS

2.0L 4-CYLINDER TURBOCHARGED DIRECT INJECTION GASOLINE ENGINE WITH 7-SPEED 7G-TRONIC PLUS TRANSMISSION



Turbocharged Direct Injection gasoline engine

Displacement: 1,991 cc

208 hp @ 5,500 rpm

Rated torque: 258 lb-ft @ 1,250-4,000 rpm

Tank capacity: 70 litres

Battery: 12V/95Ah

9



Best Fleet Value in Canada.

Minimizing downtime is crucial for making the most out of the workday. With its award-winning best-in-fleet value, lowest fleet cost to own, and lowest lifecycle cost, the Metris keeps your total cost of ownership low and your productivity high. By spending less time and money on maintenance, and more time on the road, you get more done each day.





MERCEDES-BENZ METRIS



7G-TRONIC Plus Automatic Transmission

Refined for maximum efficiency and unmatched comfort, this quick-shifting 7-speed automatic transmission delivers better fuel economy, reduced noise, and longer service life.



Up to 25,000 km Maintenance Intervals¹⁰

With impressive maintenance intervals of up to 25,000 km, oyur van will spend less time in the shop and more time on the job.



Efficient Gasoline Engine

Big power comes in a small package, as the Metris' incredibly capable and efficient 2.0 L, 4-cylinder turbocharged Direct Injection gasoline engine delivers 208 hp/258 lb-ft torque.



ECO Start/Stop

Now standard on the Metris, this function reduces fuel consumption and emissions by shutting off the engine when the vehicle is at a standstill, helping you lower the total cost of ownership.



ONLY THE METRIS STACKS UP.

METRIS LWB

VS. FORD TRANSIT CONNECT LWB


THE METRIS


IS **54.5** CM (21.5 IN.) LONGER


IS **8.2** CM (3.2 IN.) TALLER

HOLDS 375 KG (826 LBS.)
MORE PAYLOAD


HAS 2.0 M³ (71.6 cu. FT.) MORE CARGO VOLUME











..... CARGO FLOOR LENGTH CARGO DIMENSIONS

222.5 CM (87.6 IN.)

FORD TRANSIT CONNECT LWB

— 127 см*—*

139.7 см


126.5 cm

⊢ **123.7** cm⊣ (48.7 in.)

FORD TRANSIT CONNECT LWB

Based on publicly available vehicle specifications for the 2019 Ford Transit Connect LWB available at time of printing.

*With factory partition





THE RIGHT SIZE

As a mid-size van, the Metris is capable of handling heavier jobs than compact vans with its superior payload.



5.64 M³ OF CARGO VOLUME

If you're looking for more space, the Metris long wheelbase offers 0.46 m³ of volume. That's spacious enough to stow over 60 sheets of 4' x 8' drywall¹² with room to spare.



REAR DOOR OPTIONS

Choose between standard 270° opening rear doors, 180° rear doors, or an optional flip-up tailgate.

No wasted space.

There's no room in your workday for wasted space. That's why virtually every inch of cargo space in the Metris Cargo Van is usable. It's all about making smart use of what you have—and having the right size with which to work. With a Best-in-Class turning radius* and a powerful, cost-efficient drivetrain, the Metris doesn't waste any effort getting to the job. You'll feel safe along the way with advanced features like Crosswind Assist; Load-Adaptive Electronic Stability Program (ESP®); and ATTENTION ASSIST. When you need to get more out of your cargo van, choose the one that delivers efficiency, along with a low total cost of ownership and a Best-in-Class payload cargo capacity.* *Based on a comparison of similarly sized and equipped commercial vans.

Two wheelbases, more possibilities.

The Metris lets you choose the size you need by offering two wheelbase lengths. The standard length gives you 5.18 m³ of cargo volume, and the **long wheelbase** adds 0.46 m³ of volume, giving you even more hauling opportunities with a total of 5.64 m³.

SPECIFICATIONS

All measurements in centimetres/inches. All width measurements include mirrors. See page 24 for a complete listing of models and specifications.



224.3 cm (88.3")



514.1 cm (202.4") (Standard Wheelbase)



537 cm (211.4") (Long Wheelbase)



283.2 cm (111.5") (with factory partition)



306.1 cm (120.5") (with factory partition)

METRIS CARGO QUICK FACTS



1,130 kg (2,491 lbs.)(std. wb) 1,105 kg (2,436 lbs.)(long wb)





CARGO VOLUME:

5.64 m³ (199 cu. ft.)(long wb)




11.1 m (36.4')(std. wb) 11.8 m (38.7')(long wb)













Driver and passenger front airbags, driver and front passenger side thorax airbags, and window curtain airbags throughout help protect every



ELECTRIC SLIDING DOORS (OPTIONAL)

Open or close the sliding door with the push of a button, for extra



SEATING CAPACITY

With two available seating configurations, you can carry up to eight people. 100.6 cm of headroom and plenty of legroom assure that your passengers won't just get there – they'll get there comfortably.

Work is hard. But the ride there doesn't have to be.

Whether you're riding or driving, it's all about how you feel in the vehicle. Take the Metris Passenger Van. It's just the right size to seat up to eight people comfortably and gives you the flexibility of two seating configurations. Add in optional features like electric sliding doors, and your passengers will have even more reasons to enjoy their journey — and you'll certainly enjoy the low cost of ownership. Our groundbreaking safety innovations deliver an extra level of protection for you and your passengers, giving you one less thing to think about. Put your passengers first with the Metris Passenger Van.

SPECIFICATIONS

All measurements in centimetres/inches. All width measurements include mirrors. See page 24 for a complete listing of models and specifications.







224.3 cm (88.3")

514.1 cm (202.4")

SEATING FOR SEVEN



SEATING FOR EIGHT**



**Optional seating arrangement. Optional Metris Passenger wheels shown.

METRIS PASSENGER QUICK FACTS

MAXIMUM PAYLOAD: 875 kg (1,929 lbs.)



SEATING CAPACITY: Up to eight



MAXIMUM TOWING CAPACITY: 2,268 kg (5,000 lbs.)¹¹



ENGINE: 2.0L 4-cylinder turbocharged Direct Injection gasoline



CARGO VOLUME: 1.07 m³ (38 cu. ft.)



TRANSMISSION: 7G-TRONIC Plus Automatic Transmission

SIDE ENTRANCE: Dual sliding doors (electric optional)





Built to your standards, and ours.

Mercedes-Benz vans are built to meet the highest standards. It's what you've come to expect from us. And now, it's what you can expect from our growing network of MasterUpfitters. Nothing gives you more flexibility than a Mercedes-Benz van. Every aspect of our vans is designed to provide the ideal foundation so you can customize a workspace that fits your needs. And when combined with the expert craftsmanship of a Mercedes-Benz MasterUpfitter, there simply isn't a more versatile work van on the road. No matter what your job requires, an upfitted Mercedes-Benz will answer the call day in and day out.

Find a complete list of approved upfitters at mbvans.ca/upfitters.





Finance solutions that fit.

We make the hardest-working vans on the road. So it's no surprise that the professionals at Mercedes-Benz Financial Services work just as hard to find the right finance solution for you. If you're looking to lease or purchase, we offer a variety of products and solutions with flexible benefits and competitive rates tailored to your business.¹³

For more information, visit mercedes-benz.ca/en/financial-services

Mercedes-Benz Financial Services





Looking after your van. So you can look after your work.

We believe your van care should be as simple and flexible as possible. From extended warranty to pre-paid maintenance to all-inclusive service packages, our ServiceCARE plans are designed to let you focus on what's most important — your business.



EXTENDED LIMITED WARRANTY (ELW)

More warranty. More certainty. The Extended Limited Warranty product offers you greater coverage for mechanical, electrical and electronic components. It protects you against unforeseen repair costs and without any deductibles, you get the benefit of predictable and attractive conditions.

MAINTENANCE (PPM)

Keeping your van in top shape. Regular and accurate checking of the most important vehicle parts and functions ensures that your van continues to deliver outstanding performance and reliability. Maintenance prevents unnecessary repair costs and keeps downtime minimal.

COMPLETE

The all-inclusive service package. If you require comprehensive additional protection for your van, look no further than our Complete product. This package covers all workshop work, including wear and tear repairs. The vehicle is ready for action when you need it, and you keep costs safely under control.

To learn more about ServiceCARE Plans visit: mbvans.ca/owners

FINANCE SOLUTIONS

SERVICE & MAINTENANCE

METRIS SPECIFICATIONS (Applies to all Metris models)



POWERTRAINS

24

Configuration	DOHC
Fuel injection	Direct fuel injection
Induction system	Direct gasoline injection
Cylinders	Four
Cylinder heads	Aluminum
Block material	Aluminum
Bore/stroke	3.27" x 3.62"
Compression ratio	10.3
Transmission	7G-TRONIC Plus Automatic Transmission
Horsepower @ rpm	208 hp @ 5,500 rpm
Torque Ib-ft @ rpm	258 lb-ft @ 1,250-4,000 rpm
Fuel tank capacity	70 litres

STANDARD FEATURES

MECHANICAL

- 2.0L 4-cylinder turbocharged Direct Injection gasoline engine
- 7G-TRONIC Plus Automatic Transmission
- · Adjustable steering wheel with shift paddles
- All-season tires
- · Alternator efficiency management
- Axle ratio 3.467:1
- Battery: 12V/95Ah

- SEATING & INTERIOR · Adjustable driver seat
- · Adjustable front passenger seat
- · Air conditioning, front
- Audio 15 AM/FM radio, USB, AUX, Bluetooth, 5.8" color screen · Audio system speakers, five front
- · Cupholders, two dashtop
- · Cupholders, two centre console

EXTERIOR

- · Aspherical mirror, passenger side
- · Automatic headlights
- · Outside temperature gauge

- Airbag, driver front¹

- ATTENTION ASSIST®4

Trailer pre-wiring

ECO Start/Stop Function

 Speedometer, km/miles Tire-pressure monitoring lamp

Engine emissions LEV III ULEV70

Trailer Brake Controller Connection

· Washer fluid level warning light

- Heat-insulating glass · Lockable glove compartment
- Newly designed instrument cluster
- Pre-wired communications module
- · Power front window with pinch protection
- Rear view camera⁸
- Tunja Black Fabric

- · Sliding door, passenger side
- . Spare wheel with jack & tool kit

SAFETY & SECURITY

- Airbag, passenger front¹
- Airbag, side thorax-pelvis, driver¹
- Airbag, side thorax-pelvis, passenger¹
- Airbag, window, front row¹

- Automatic passenger airbag deactivation¹
- Crosswind Assist²
- Hill-Start Assist
- Load-Adaptive Electronic Stability Program (ESP®)³ Seat belt reminder for driver/passenger



METRIS CARGO

METRIS PASSENGER

METRIS CARGO

STANDARD FEATURES

· Single cargo light in rear sidewall

Basic suspension

Centre console with storage compartment
 Instrument cluster with pixel-matrix display
 Multifunction steering wheel w/trip computer

Heated and power adjustable side mirrors

Lumbar support, driver and passenger seats

· Rain-sensing windshield wipers

Load-Securing Rail System¹⁵

· Illuminated exits

rear doors

Roof rails

· Sidewall lashing rails on waist rail

· Illuminated vanity mirrors for sun visors

· Fixed window with washer/wipers,

Light alloy wheels, 7,0 J x17,

5-Twin-Spoke Design

Tensioning straps

Privacy glass

· Rearview mirror

Two additional master keys

Heated driver and front

passenger seats

· Chrome grille

Wood floor

Alternator, 14V/190A

Rear doors, opening 270°

OPTIONAL PACKAGES

CONVENIENCE PACKAGE

COLD WEATHER PACKAGE

· Bumpers painted in body colour

COLLISION PREVENTION ASSIST⁷

COMFORT SEAT PACKAGE

Comfort driver and passenger seats

EXTENDED CARGO PACKAGE

· Interior trim, washable, full height

Comfort overhead control panel

BASIC WINDOW PACKAGE

sidewall/sliding door

OPTIONAL FEATURES

· Grey primer-painted bumpers SAFETY & SECURITY

· Fixed window, front right and left in

LED ceiling lamp in cargo compartment

FRONT CABIN LIGHTING PACKAGE

DELUXE APPEARANCE PACKAGE

· Electrical auxiliary heating

SAFETY PACKAGE

Blind Spot Assist⁵

Footwell lighting

MECHANICAL

INTERIOR

EXTERIOR

Cruise control



TECHNICAL SPECIFICATIONS METRIS CARGO DIMENSIONS

	320 cm (Standard WB)	342.9 cm (Long WB)
Roof height	191 cm (75.2")	191 cm (75.2")
Roof height with rails	195.8 cm (77.1")	195.8 cm (77.1")
Passenger capacity	Two	Two
Rows of seats	One	One

EXTERIOR

Wheelbase	320 cm (126")	343 cm (135")
Length	514.1 cm (202.4")	537 cm (211.4")
Width – excluding mirrors	192.8 cm (75.9")	192.8 cm (75.9")
Width - including mirrors	224.3 cm (88.3")	224.3 cm (88.3")
Front overhang	89.7 cm (35.3")	89.4 cm (35.2")
Rear overhang	104.4 cm (41.1")	104.4 cm (41.1")
Side-door opening height	125.2 cm (49.3")	125.2 cm (49.3")
Side-door opening width – sliding	96 cm (37.8")	96 cm (37.8")
Rear cargo door opening height	126 cm (49.6")	126 cm (49.6")
Rear cargo door opening width	139.2 cm (54.8")	139.2 cm (54.8")
Turning diameter (curb-to-curb)	11.1 m (36.4')	11.8 m (38.7')
	•	

INTERIOR

Headroom	100.6 cm (39.6")	100.6 cm (39.6")
Cargo length, front (at floor)	283.2 cm (111.5")	306.1 cm (120.5")
Cargo width between wheelhouses	127 cm (50")	127 cm (50")
Cargo height, maximum	139.7 cm (55")	139.7 cm (55")

CARGO CAPACITY

Cargo volume behind 1st row	5.18 m³ (183 cu. ft.)	5.64 m³ (199 cu. ft.)
Maximum roof load	150 kg (331 lbs.)	150 kg (331 lbs.)

MAXIMUM CAPABILITIES

Payload	1,130 kg (2,491 lbs.)	1,105 kg (2,436 lbs.)
Maximum towing ¹¹	2,268 kg (5,000 lbs.)	2,268 kg (5,000 lbs.)
GVWR	3,050 kg (6,724 lbs.)	3,050 kg (6,724 lbs.)
GCWR	5,268 kg (11,614 lbs.)	5,268 kg (11,614 lbs.)

25

MECHANICAL Active Parking Assist with PARKTRONIC
 Programmable Special Module (PSM) SEATING & INTERIOR · Automatic climate control Full partition Pre-installation Becker® MAP PILOT® Becker® MAP PILOT® Navigation System
 Full partition with 1 window Navigation System Bodybuilder connector Hardboard interior paneling, lower cargo area
 Smoker's package, front console · Electrically adjustable front seats Leather wrapped steering with chrome trim
 Warm air duct to passenger compartment EXTERIOR · Sliding door, driver side Light-alloy wheels 7 J x 17, 5-spoke design
 Halogen fog lamps Light-alloy wheels 7 J x 17, 20-spoke design
 Heated and power adjustable side mirrors
 Steel wheels painted in black Cargo straps Heated windows, rear doors and wipers/washers
 Tailgate · Full wheel cover • Rear doors, opening 180° Trailer hitch, 5,000-lb. capacity¹¹

· Anti-theft alarm system First aid kit Lane Keeping Assist⁶

METRIS PASSENGER



METRIS PASSENGER

189 cm (74.4")

193.8 cm (76.3") Up to 8

320 cm (126") 514.1 cm (202.4")

192.8 cm (75.9")

224.3 cm (88.3")

104.4 cm (41.1")

124.5 cm (49")

90.2 cm (35.5") 121.9 cm (48")

127 cm (50")

11.1 m (36.4')

• 90.9 cm (35.8")(3rd row)

69.8 cm (27.5")

120.4 cm (47.4")

133.1 cm (52.4")

1.07 m³ (38 cu. ft.)

150 kg (331 lbs.)

100.6 cm (39.6")(1st row) • 105.2 cm (41.4") (2nd)

Front of Seat • 102.9 cm (40.5") (3rd) Back of Seat

164.9 cm (64.9")(2nd row) • 155.4 cm (61.2")(3rd row)

166.4 cm (65.5")(2nd row) • 142.2 cm (56.0")(3rd row)

90.9 cm (35.8")(1st row) • 90.9 cm (35.8")(2nd row)

89.7 cm (35.3")

Three

STANDARD FEATURES		
MECHANICAL		
14V/190A alternator	Basic Suspension Plus	Bodybuilder connector
SEATING		
Grab handles in passenger area Interior Trim, Luxury	Seat passenger compartment 2-seater bench, 1st row	Seat passenger compartment 3-seater benchmark 2nd row
INTERIOR		
12V outlets for rear seat row, right & left Air conditioning, rear Airbag, window, all rows¹ Assist handle, B-pillar Audio system speakers, five front, four rear EXTERIOR	Child safety lock, sliding door Instrument cluster with pixel-matrix display Rearview mirror Plastic floor covering in rear compartment Roof trim	Two additional master keys Two detachable cupholders, 2nd row armrests Two overhead interior lights in rear Warm air duct to passenger compartment Newly designed instrument cluster Pre-wired communications module
	Light eller wheels 7.01 of 7.5 Toig Cooks Design	Deteriors for elidical description
 Fixed windows, front left, front right, behind Heated windshield washer system 	 Light alloy wheels, 7,0 J x17, 5-Twin-Spoke Design Rear doors, opening 180° 	Retainer for sliding door Sliding door, driver side
OPTIONAL PACKAGES	, . , . ,	3,
COLD WEATHER PACKAGE		
Electrical auxiliary heating	Heated driver and passenger seat	
PREMIUM SAFETY PACKAGE		
Blind Spot Assist ⁵ COLLISION PREVENTION ASSIST ⁷	Heated and power adjustable side mirrors Lane Keeping Assist ⁶	Leather wrapped steering with chrome trim Rain-sensing windshield wipers
DELUXE APPEARANCE PACKAGE		
Bumpers painted in body colour Chrome grille	Halogen fog lamps Illuminated exits	
COMFORT SEAT PACKAGE		
Comfort driver and passenger seats Lumbar support, driver and passenger seats	Storage nets, driver and passenger seats	
LUXURY INTERIOR PACKAGE		
Chrome interior accents Comfort overhead control panel Comfort suspension	Front and rear carpets Footwell lighting Illuminated vanity mirrors for sun visors	Luxury trim, rear door Reading light in rear grab handles

	Halogen fog lamps Illuminated exits	
COMFORT SEAT PACKAGE		
Comfort driver and passenger seats Lumbar support, driver and passenger seats	Storage nets, driver and passenger seats	
LUXURY INTERIOR PACKAGE		
Comfort overhead control panel		ury trim, rear door ding light in rear grab handles
OPTIONAL FEATURES		
MECHANICAL		
Active Parking Assist with PARKTRONIC	Programmable Special Module (PSM)	
SEATING & INTERIOR		
3-seater bench, 1st row with folding outer seat	Fixed window and washer/wipers, rear doors	 Pre-installation Becker® MAP PILOT® Navigation System
Automatic climate control Becker® MAP PILOT® Navigation System	High-performance air conditioningLuggage net	Smoker's package, front console
Electrically adjustable front seat - driver and passe	nger	
EXTERIOR		
 Light-alloy wheels 7 J x 17, 20-spoke design Courtesy light for tailgate 	Grey primer-painted bumpers Roof rails, black	Tailgate Trailer hitch, 5,000-lb. capacity ¹¹
Electric sliding door, driver and passenger's sid	es • Light-alloy wheels 7 J x 17, 5-spoke design	
SAFETY & SECURITY		
Anti-theft alarm system	First-aid kit	

METRIS EXTERIOR & INTERIOR

EXTERIOR: NON-METALLIC











9147 - Arctic White

7701 - Pebble Grey

3589 - Jupiter Red


5389 - Steel Blue

6580 - Granite Green

PREMIUM NON-METALLIC

EXTERIOR: METALLIC







7992 - Selenite Grey

9744 - Brilliant Silver Metallic 5890 - Cavansite Blue Metallic



7831 - Graphite Grey



9040 - Jet Black



9197 - Obsidian Black Metallic

For paint availability please contact your local dealer.





3334 - Hyacinth Red

5610 - Navy Blue

27

MAXIMUM CAPABILITIES

Cargo length, without partition

Cargo height, maximum

CARGO CAPACITY Cargo volume behind 1st row

Maximum roof load

Cargo width between wheelhouses

TECHNICAL SPECIFICATIONS

Roof height

Rows of seats EXTERIOR Wheelbase

Length

Roof height with rails

Width - excluding mirrors

Width - including mirrors

Side-door opening height

Side-door opening width - sliding

Rear cargo door opening height

Rear cargo door opening width Turning diameter (curb-to-curb)

Front overhang

Rear overhang

INTERIOR

Headroom

Hip room


Legroom

Shoulder room

Passenger capacity

Maximum Payload	875 kg (1,929 lbs.)
Maximum Towing ¹¹	2,268 kg (5,000 lbs.)
GVWR	3,050 kg (6,724 lbs.)
GCWR	5,268 kg (11,614 lbs.)

INTERIOR



VY2 - Tunja Black Fabric



VU9 - Black Leatherette

ACCESSORIES HIGHLIGHTS

Floor mat trays

All-season floor mats

Mud flaps

Cargo area tray

Roof rack basic carrier

Trailer hitch

Roof box

Winter grille cover

Standard crossbars

· Wind deflectors for front windows, set

• Folding table (requires base module)

Contact dealer for full list of accessories.